## **Index to Volume 259**

Agarwa	il DP,	see Chl	habra S <i>et</i>	al
Akhtar	S, see	Benter	IF et al	
A . 1	DD	0.	C2 6 27	

Atshaves BP, Storey SM, Huang H, Schroeder F: Liver fatty acid binding protein expression enhances branched-chain fatty

Balamurugan K, Rajaram R, Ramasami T: Caspase-3: Its potential involvement in Cr(III)-induced apoptosis of lymphocytes 43-51 Benter IF, Juggi JS, Khan I, Akhtar S: Inhibition of Ras-GTPase, but not tyrosine kinases or Ca2+/calmodulin-dependent protein

115-129

59-66

53-57

83-90

91-99

kinase II, improves recovery of cardiac function in the globally ischemic heart 35-42

Bjarnason SG, see Lee MM et al Burns KD, see Kumar D et al

Castelli M, see Cicconi R et al Chalifour LE, see Servant N et al

Cheng S, see Lee MM et al Chhabra S, Narang R, Lakshmy R, Vasisht S, Agarwal DP, Srivastava LM, Manchanda SC, Das N: Apolipoprotein C3 Sstl polymorphism in the risk assessment of CAD

Chien S. see Wheeler TJ et al Cicconi R, Delpino A, Piselli R, Castelli M, Vismara D: Expression of 60 kDa heat shock protein (Hsp60) on plasma membrane

of Daudi cells 1-7 Çimen B, Türközkan N, Seven I, Ünlü A, Karasu Ç: Impaired Na<sup>+</sup>, K<sup>+</sup>-ATPase activity as a mechanism of reactive nitrogen

species-induced cytotoxicity in guinea pig liver exposed to lipopolysaccharides Cooper M, Ytrehus K: Cell survival signalling in heart derived myofibroblasts induced by preconditioning and bradykinin: The role of p38 MAP kinase

Courtois P, see Zhang Y et al

Das N, see Chhabra S et al Delpino A, see Cicconi R et al denDekker A, see Wheeler TJ et al Duarte J, see Galisteo M et al

Erdődi F, see Ito M et al

Fujita J, see Yuasa S et al Fukada K, see Yuasa S et al

Galisteo M, García-Saura FM, Jiménez R, Villar IC, Zarzuelo A, Vargas F, Duarte J: Effects of chronic quercetin treatment on antioxidant defence system and oxidative status of deoxycorticosterone acetate-salt-hypertensive rats

García-Saura MF, see Galisteo M et al

Green FHY, see Lee MM et al

Gupta A, Manhas N, Raghubir R: Energy metabolism during cutaneous wound healing in immunocompromised and aged rats

9-14

Hartshorne DJ, see Ito M et al Hasegawa K, see Iwai-Kanai E et al Hattori Y, see Jesmin S et al Hayashi H, see Ozeki M et al Hisaka Y. see Yuasa S et al Huang H, see Atshaves BP et al

Ieda M, see Yuasa S et al

Iizuka K, see Oikawa K et al	
Itabashi Y, see Yuasa S et al	107 700
Ito M, Nakano T, Erdődi F, Hartshorne DJ: Myosin phosphatase: Structure, regulation and function	197–209
Ito M, see Ozeki M et al Iwai-Kanai E, Hasegawa K: Intracellular signaling pathways for norepinephrine- and endothelin-1-mediated regulation of	
myocardial cell apoptosis	163-168
Iwamoto T, Kita S: Development and application of Na*/Ca²* exchange inhibitors	157-161
Thumboo 1, 11th 5: 20 to photo and approximate 5 to 1 to 2 to 1 to 1 to 2 to 1 to 1 to 1	
Jesmin S, Sukuma I, Hattori Y, Kitabatake A: Regulatory molecules for coronary expressions of VEGF and its angiogenic receptor	
KDR in hypoestrogenic middle-aged female rats	189-196
Jijakli H, see Zhang Y et al	
Jiménez R, see Galisteo M et al	
Juggi JS, see Benter IF et al	
Karasu Ç, see Çimen B et al	
Kawaguchi H, see Oikawa K et al	
Kawaguchi H, see Yuasa S et al	
Khan I, see Benter IF et al	
Kim H-J, see Kim YM et al	
Kim YM, Kim H-J, Song EJ, Lee KJ: Glucuronic acid is a novel inducer of heat shock response	23-33
Kishimoto C, see Nimata M et al	
Kishimoto C, see Yuan Z et al	
Kita S, see Iwamoto T et al	
Kitabatake A, see Jesmin S et al	
Kitabatake A, Kawaguchi H, see Oikawa K et al	
Kumar D, Robertson S, Burns KD: Evidence of apoptosis in human diabetic kidney	67–70
Kureishi Y, see Ozeki M et al	
Lakshmy R, see Chhabra S et al	
Lee KJ, see Kim YM et al	
Lee MM, Green FHY, Schürch S, Cheng S, Bjarnason SG, Leonard S, Wallace W, Possmayer F, Vallyathan V: Comparison of inhibitory effects of oxygen radicals and calf serum protein on surfactant activity	15-22
Leonard S, see Lee MM et al	
Luo J, see Ozeki M et al	
Malaisse WJ, see Zhang Y et al	
Manchanda SC, see Chhabra S et al	
Manhas N, see Gupta A et al	
Marcantonio D, see Servant N et al	
McCurdy JM, see Wheeler TJ et al	
Murakami T, see Oikawa K et al	
Nagai T, see Oikawa K et al	
Nakano T, see Ito M et al	
Nakano T, see Ozeki M et al	
Narang R, see Chhabra S et al	
Nimata M, Kishimoto C, Yuan Z, Shioji K: Beneficial effects of olmesartan, a novel angiotensin II receptor type 1 antagonist,	
upon acute autoimmune myocarditis	217-222
Nimata M, see Yuan Z et al	
Ogawa S, see Yuasa S et al	
Ohashi K, see Ozeki M et al	
Oikawa K, Iizuka K, Murakami T, Nagai T, Okita K, Yonezawa K, Kitabatake A, Kawaguchi H: Pure pressure stress increased	
monocarboxylate transporter in human aortic smooth muscle cell membrane	151-156
Oikawa R, see Tanonaka K et al	
Okita K, see Oikawa K et al	
Ozeki M, Watanabe H, Luo J, Nakano T, Takeuchi K, Kureishi Y, Ito M, Nakano T, Ohashi K, Hayashi H: Akt and Ca <sup>2+</sup> signaling	160 150
in endothelial cells	169–176

183-187

71 - 81

131-140

141-148

211-215

Piselli P, see Cicconi R et al Possmayer F, see Lee MM et al

Raghubir R, see Gupta A et al Rajaram R, see Balamurugan K et al Ramasami T, see Balamurugan K et al Robertson S, see Kumar D et al

Sakamoto A: Electrical and ionic abnormalities in the heart of cardiomyopathic hamsters: In quest of a new paradigm for cardiac failure and lethal arrhythmia

Schroeder F, see Atshaves BP et al

Schürch S, see Lee MM et al Sener A, see Zhang Y et al

Servant N, Marcantonio D, Th'ng JPH, Chalifour LE: TBP-associated factor 1 overexpression induces tolerance to Doxorubicin in confluent H9c2 cells by an increase in cdk2 activity and cyclin E expression

Seven I, see Çimen B et al

Shioji K, see Nimata M et al

Shioji K, see Yuan Z et al Song EJ, see Kim YM et al

Sreeja S, Thampan RV: Extradiol-mediated internalisation of the non-activated estrogen receptor from the goat uterine plasma membrane: Identification of the proteins involved

Sreeja S, Thampan RV: Proteins which mediate the nuclear entry of goat uterine non activated estrogen receptor (naER) following naER internalization from the plasma membrane

Srivastava LM, see Chhabra S et al

Storey SM, see Atshaves BP et al

Sukuma I, see Jesmin S et al

Takahashi M, see Tanonaka K et al

Tahara S, see Yuasa S et al

Takeo S, see Tanonaka K et al Takeuchi K, see Ozeki M et al

Tanonaka K, Toga W, Takahashi M, Yoshida H, Oikawa R, Takeo S: Induction of heat shock protein 72 in the failing heart is attenuated after an exposure to heat shock

Thampan RV, see Sreeja S et al

Th'ng JPH, see Servant N et al

Toga W, see Tanonaka K et al

Tomita Y, see Yuasa S et al

Türközkan N, see Çimen B et al

Ünlü A, see Çimen B et al

Vallyathan V, see Lee MM et al Vargas F, see Galisteo M et al Vasisht S, see Chhabra S et al

Villar IC. see Galisteo M et al.

Vismara D, see Cicconi R et al

Wallace W, see Lee MM et al Watanabe H, see Ozeki M et al

Wheeler TJ, McCurdy JM, denDekker A, Chien S: Permeability of fructose-1,6-bisphosphate in liposomes and cardiac myocytes 105–114

Yagi T, see Yuasa S et al

Yonezawa K, see Oikawa K et al

Yoshida H, see Tanonaka K et al

Ytrehus K, see Cooper M et al

Yuan Z, Shioji K, Nimata M, Kishimoto C: Cardioprotective effects of carvedilol on acute autoimmune myocarditis

Yuan Z, see Nimata M et al

223-228

- Yuasa S, Fukada K, Tomita Y, Fujita J, Ieda M, Tahara S, Itabashi Y, Yagi T, Kawaguchi H, Hisaka Y, Ogawa S: Cardiomyocytes undergo cells division following myocardial infarction is a spatially and temporally restricted event in rats
  - 177-181

101-104

- Zarzuelo A, see Galisteo M et al
- Zhang Y, Jijakli H, Courtois P, Sener A, Malaisse WJ: Metabolism of tritiated D-glucose anomers in rat erythrocytes

